

Page - 1 -	<p style="text-align: center;">SAFETY DATA SHEET (According to 1907/2006/EC)</p> <p style="text-align: center;">ULTRASIL 140</p>	
Revised edition no. : 2		
DATE : 28-12-2019		

1. IDENTIFICATION OF THE SUBSTANCES / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product Name : **ULTRASIL 140**

Use of the substance/preparation : Hydrophilic softener for knits, towel and natural fabrics

: H.O. : BRITACEL SILICONES LTD
F-18, STREET NO.23, MIDC, MAROL,
ANDHERI (E), MUMBAI – 400 093.

Manufacturer / Supplier Fact :
PLOT NO. L –124, 125 & 126,
VERNA INDUSTRIAL ESTATE,
VERNA PHASE – III, GOA – 403 772.

: Customer service : +91 22 400 94000
Product Disposal Information: +91 832 278 2929
+91 832 278 3939

Contact Email: - bsl@britacelsilicones.com

Emergency information : Emergency Telephone: +91 22 4009 4002

2. HAZARDOUS IDENTIFICATION

As per classification rules in Directive 67/548/EEC or 1999/45/EC, **ULTRASIL 140 is not classified as dangerous preparation.**

3 COMPOSITION / INFORMATION ON INGREDIENTS

None of the ingredients are classified as dangerous in the preparation **ULTRASIL 140.**

4. FIRST AID MEASURES

- Inhalation : Assure fresh air breathing

- Skin contact : Not expected to require first aid measures.

- Eye contact : Rinse immediately with water.

- Ingestion : Rinse mouth

5. FIRE-FIGHTING MEASURES

Flammable class : Not combustible

Extinguishing media : All extinguishing media can be used.

Surrounding fires : Use water spray or fog for cooling exposed containers.

Special procedures : Exercise caution when fighting any chemical fire.

Page - 2 -	SAFETY DATA SHEET (According to 1907/2006/EC) ULTRASIL 140	
Revised edition no. : 2		
DATE : 28-12-2019		

6. ACCIDENTAL RELEASE MEASURES

Clean up method : On land, sweep or shovel into suitable containers. Dilute residues and flush.

7. HANDLING AND STORAGE

Storage : Store in cool & dry place with enough ventilation.
Do not store above 30 deg C and below 10 deg C.

Shelf life : 6 months from month of Manufacturing if stored as above.
Keep the container tightly sealed after every use.

Handling : Do not get in eyes.
Keep container closed.
Use with adequate ventilation.
Wash thoroughly after handling.

8. EXPOSURE CONTROL/ PERSONAL PROTECTION

Personal Protection



Respiratory Protection : No special respiratory protection equipments is recommended under normal conditions of use with adequate ventilation

Skin protection : wear gloves.

Eye protection : Even though no specific eye irritation data is available, wear eye protection appropriate to conditions of use when handling this material.

Ingestion : Ingestion unlikely.

Industrial Hygiene : Provide adequate ventilation to minimize dust and /or vapor concentration.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Nature : Flowable liquid

Appearance : Clear to bluish clear liquid

ULTRASIL 140

28/12/2019

Britacel silicones Ltd.

F-18, 'F' Block Road, Street No. 23, MIDC, Andheri(E), Mumbai-93.

Page - 3 -	SAFETY DATA SHEET (According to 1907/2006/EC) ULTRASIL 140	
Revised edition no. : 2		
DATE : 28-12-2019		

Physical Nature	: Flowable Liquid
Odour	: Organic
Solubility in water @ 25° C	: Soluble
Specific Gravity @ 25° C-30° C	: 0.99 – 1.05
pH of 5% Dilution (Using PH Meter)	: 5 – 7
Solid Content	: 19 + 23%
Flash Point	: >100° C

10. STABILITY AND REACTIVITY

Hazardous decomposition products	: None under normal conditions
Hazardous reactions	: None under normal conditions
Hazardous properties	: None under normal conditions

11. TOXICOLOGICAL INFORMATION

Rat oral LD50 (mg/kg)	: > 2000 estimated value from available datas.
------------------------------	--

12. ECOLOGICAL INFORMATION

The product is a emulsion of high molecular, liquid polymer and is characterized by a very low vapour pressure. It can enter the atmosphere only as an Aerosol.

Investigations showed that siloxane does not have toxic effect on sludge organism. Tests showed that siloxane containing sludge brought on agriculture soil did not give negative effects on ground organisms, earthworm and the following growth of the plants.

In the ground siloxane is decomposed into small silicones molecules abiotically. These small silicone molecules are decomposed biologically in the soil or evaporate from the soil and are decomposed in the atmosphere under the influence of light. Under suitable conditions the following decomposition products are obtained;

Carbondioxide, inorganic silicones and water vapour.

The size of high molecular siloxane molecule prevents the absorption into or passage through biological membranes.

Owing to the low water solubility of siloxane, OECD 302 B standard procedure for testing BIOELIMINATION is applied.

COD	: 926
BOD	: 116

Biodegradability Offer 28Days : 66 % (OECD 302 B).

ULTRASIL 140

28/12/2019

Britacel silicones Ltd.

F-18, 'F' Block Road, Street No. 23, MIDC, Andheri(E), Mumbai-93.

Page - 4 -	SAFETY DATA SHEET (According to 1907/2006/EC) ULTRASIL 140	
Revised edition no. : 2		
DATE : 28-12-2019		

IC50 : > 100 PPM

13. DISPOSAL CONSIDERATION

General : Dispose in a safe manner in accordance with local/national regulations.

14. TRANSPORT INFORMATION

General information : Not regulated

15. REGULATORY INFORMATION

Symbol(s) : None
R-phrases : None
S-Phrase(s) : S20/21 – When using, do not eat, drink or smoke.
S28 – After contact with skin, wash immediately with plenty of water.

16. OTHER INFORMATION

Further information : NONE